



ROBUSTA
STEP FORWARD




INDUSTRY

JANUARY 2022



ROBUSTA

STEP FORWARD





At ROBUSTA we're manufacturers of **safety and professional solutions**, since 1999. We produce extraordinarily long lasting and comfortable shoes and accessories developed in line with our customers' needs with an enduring vocation towards service and a rigorous quality plan. The outcome is an enormous catalogue with **more than 750 items** that provide solutions for professionals in several industries.

The most demanding industries require safety solutions that meet the strictest standards. But, they also need a kind of shoes equipped with the latest generation technology that can ensure the well-being of the ones who will wear them for more time.

Our shoes and accessories made to match the needs of a diverse range of industries are developed following **the highest quality, environmental and workplace health standards.**



MAKE AN IMPACT, BUT NOT ON THE ENVIRONMENT



At Calzados Robusta we know that the quality of our lives depends a lot on our surroundings. That's why we've made the commitment to preserve and care for the environment by progressively reducing the environmental footprint of our processes. This move towards sustainability includes **eco-design** as a factor of strategic competitiveness to optimise processes and reduce environmental impact during the life cycle of our products (UNE 14040 – UNE 150301). It's a global process that involves not just using green materials, but also using the most sustainable methods of production, warehousing and shipping to client. Consequently, we can control and

reduce emissions of VOCs and spillages, offset part of our carbon footprint with the "Calculate, reduce and offset" programme from the Ministry for Ecological Transition and we contribute with sustainable development goals.



WHERE SAFETY STARTS

Professional footwear intended for the industrial sector is an important personal protective equipment. Not only workers safety depends on it, but also their daily performance and well-being.

In collaboration with **INESCOP**, our technical teams put every new development in **R&D&I**, and the performance of all our designs, to the test in our laboratory in Arnedo, La Rioja.

At ROBUSTA, we're highly aware of how important it is to develop the best products for each sector; products that provide answers to specific needs and innovative products that can foresee potential contingencies in the workplace, even before they happen.

The result is a collection of safety footwear, protection and uniformity, lighter and more comfortable, that provides solutions for a diverse range of activities: **Health, Horeca sector, special risks, police, forest industry and fire fighters.**



EUROPEAN REGULATIONS

EN ISO 20344

This standard specifies methods for testing footwear designed as Personal Protective equipment.

EN ISO 20345

This standard specifies basic and additional requirements for safety footwear whose safety toe cap must withstand impacts equivalent to 200 Joules and 15kN compression.

EN ISO 20346

This standard specifies basic and additional requirements for protective footwear whose safety toe cap must withstand impacts equivalent to 100 Joules and 10kN compression.

EN ISO 20347

This standard specifies basic and additional requirements for occupational footwear that is not exposed to any mechanical risks (impact or compression).

EN ISO 61340

This standard specifies the general requirements for the protection of electronic devices from electrostatic phenomena. ESD footwear permits the wearer to dissipate electrostatic charges.

CÓDIGOS DE DESIGNACIÓN · DESIGNATION CODES

| | |
|------------|---|
| A | Calzado antiestático <i>Antistatic footwear</i> |
| E | Absorción de energía en la zona del talón <i>Energy absorption of seat region</i> |
| CI | Suela aislante contra el frío <i>Cool insulation of sole complex</i> |
| HI | Suela aislante contra el calor <i>Heat insulation of sole complex</i> |
| Hro | Resistencia de la suela al calor por contacto <i>Resistance to hot contact</i> |
| AN | Protección de los tobillos <i>Ankle protection</i> |
| Fo | Suela resistente a hidrocarburos <i>Fuel oil resistant outsole</i> |
| P | Resistencia a la perforación en planta <i>Penetration resistant outsole</i> |
| WR | Calzado resistente al agua <i>Water resistant footwear</i> |
| WRU | Calzado resistente a la penetración y absorción de agua <i>Water resistant upper Upper</i> |

ALTURA INTERIOR MODELOS



La altura interior indicada en cada modelo corresponde a la medición de la altura del talón, sin plantilla, en su punto más alto.

INTERIOR HEIGHT OF MODELS

The interior height indicated on each model is the height of the heel, without insole, at its highest point.

PUNTERA DE SEGURIDAD SAFETY TOE CAP



Acero
Steel



Aluminio
Aluminium



No metálica
Non metallic

PLANTILLA ANTIPERFORACIÓN ANTI-PENETRATION INSERT



Acero
Steel



Textil
Textile

| | | | | | | |
|----|---|---|----------------|-----|----------------|-----|
| O1 | A | E | F _o | | | |
| O2 | A | E | F _o | WRU | | |
| O3 | | | A | E | F _o | WRU |

| | | | |
|-----|--|--|--|
| SBP | | | |
| | | | |

| | | | | | | |
|-----|--|--|--|---|---|----------------|
| S1 | | | | A | E | F _o |
| S1P | | | | A | E | F _o |
| | | | | | | |

| | | | | | | | |
|----|--|--|--|---|---|----------------|-----|
| S2 | | | | A | E | F _o | WRU |
| S3 | | | | A | E | F _o | WRU |
| | | | | | | | |

SRA ▶ Cerámica + Solución detergente | Plano ≥ 0,32 | Tacón ≥ 0,28
Slip resistance: Ceramic + Detergent solution | Flat ≥ 0,32 | Heel ≥ 0,28

SRB ▶ Acero + Glicerina | Plano ≥ 0,18 | Tacón ≥ 0,13
Slip resistance: Steel plate + Glycerine | Flat ≥ 0,18 | Heel ≥ 0,13

SRC = **SRA** + **SRB**



Packaging

| COLLECTIONS | SINGLE PACKAGING | | PACKAGING (full box) | |
|--------------------------|------------------|----------------|----------------------|--------------|
| | Sizes 35 - 48 | Sizes 49 - 50 | 15 pairs | 10 pairs |
| Evolution | 34 x 13 x 27 | 35 x 12,5 x 33 | 62 x 33,5 x 79,5 | 67 x 35 x 63 |
| Evolution HRO | | | | |
| Gore-Tex® (Steel toecap) | 35 x 12,5 x 33 | | | 67 x 35 x 63 |

| COLLECTIONS | SINGLE PACKAGING | | PACKAGING (full box) | |
|------------------------------------|------------------|----------------|----------------------|--------------|
| | Sizes 35 - 46 | Sizes 47 - 50 | 15 pairs | 10 pairs |
| Biom. Duatlon | 34 x 13 x 27 | 35 x 12,5 x 33 | 62 x 33,5 x 79,5 | 67 x 35 x 63 |
| Biom. Triatlon | | | | |
| Biom. Heptatlon | | | | |
| Urban Runner | | | | |
| Food Service - Technical | | | | |
| Special Risks | | | | |
| ESD | | | | |
| Uniformity | | | | |
| Gore-Tex® (non-met/without toecap) | 35 x 12,5 x 33 | | | 67 x 35 x 63 |

| COLLECTIONS | SINGLE PACKAGING | | PACKAGING (full box) | |
|---------------------|------------------|------------------|----------------------|------------------|
| | Sizes 35 - 46 | Sizes 47 - 50 | 24 pairs | 12 pairs |
| Evolution Unisex | 30 x 11 x 20 | 33,5 x 11 x 21,5 | 62 x 33,5 x 79,5 | 46 x 34,8 x 64,5 |
| Food Service Unisex | | | | |
| Anatomical | | | | |

| COLLECTIONS | SINGLE PACKAGING | | PACKAGING (full box) | |
|--------------------------|------------------|------------------|----------------------|--|
| | Sizes 35 - 46 | Sizes 47 - 50 | 10 pairs | |
| Fusión | 35 x 12,5 x 33 | | 67 x 35 x 63 | |
| Reno and Glacier Black | | | | |
| Aster, Isasa and Iceberg | 45 x 12,5 x 34,5 | | 67 x 35 x 63 | |
| Helmet, Fuego and Coraza | 35 x 12,5 x 33 | 45 x 12,5 x 34,5 | | |

NOTE NOTE: All sizes are shown in centimetres (cm). Length x height x width





Models

| | | | | | |
|----------------------------|----|----------------------------|----|-----------------------------|----|
| 100 MTS | 16 | Coolmax Motorcycler Socks | 63 | Inca | 28 |
| 3.60 | 41 | Coolmax Industria Socks | 63 | Industry Insole | 69 |
| Abeto | 23 | Coolmax Socks Winter Shoes | 64 | Jara CM | 15 |
| Acacia | 21 | Coolmax Winter Boot Socks | 63 | Kira | 36 |
| Acebo | 20 | Coraza | 41 | Laces Pack | 70 |
| Acebo CM | 25 | Crespón | 30 | Laurel Black N | 29 |
| Acebo CM Black | 26 | Cóndor | 32 | M.F.P. 1500 | 16 |
| Acebo CM ESD | 45 | Dascilus | 56 | Manager | 49 |
| Acebo Fresh | 26 | Delfin O2 | 59 | Marfil | 31 |
| Acebo Fresh ESD | 45 | Delfín | 55 | Marfil Metaergonomic | 40 |
| Acebo Fresh Elastic | 27 | Directivo | 49 | María black | 52 |
| Ada CM | 15 | Driver | 31 | María Ind Black | 21 |
| Adelfa | 37 | Ebano vlco | 28 | María Ind White | 38 |
| Adelfa ESD | 46 | Endrino | 28 | María white perforated | 52 |
| Alamo | 22 | Enebro | 27 | Maya | 24 |
| Albur Integral | 35 | Enebro dielectric | 43 | Metaergonomic | 39 |
| Alerce Blue | 47 | Enebro ESD | 45 | Michael | 50 |
| Alerce Fluorescent | 47 | Enebro Pull | 30 | Mimbre | 29 |
| Alerce Orange | 47 | Enebro vlco | 28 | Mirto | 22 |
| Aliso | 36 | Escudo | 41 | Nogal | 36 |
| Arce | 19 | Exergy Black | 14 | Nogal ESD | 56 |
| Arpón | 55 | Exergy Blue | 15 | Olivo | 23 |
| Ash | 17 | Exergy Grey | 14 | Olmo | 21 |
| Aster | 32 | Exergy Green | 14 | Overshoes Total Protec | 66 |
| Ayr Integral High Insole | 69 | Exergy Red | 15 | Overshoes Total Protec Plus | 66 |
| Ayr Integral Low Insole | 69 | Ficus N | 29 | Overshoes Visitor | 67 |
| Ayr Preventia® Insole | 68 | Formio | 23 | Overshoes Visitors Integral | 67 |
| Balance | 50 | Formio CR | 42 | Palmera N | 20 |
| Barbo | 56 | Formio dielectric | 43 | Perca | 35 |
| Beige Relaxation Stockings | 63 | Foxino | 61 | Peto | 57 |
| Black Coolmax Sport Socks | 64 | Fresno | 19 | Pino | 23 |
| Black Overshoes Easy Grip | 66 | Fuego | 40 | Pino CR | 42 |
| Black Relaxation Stockings | 63 | Fusión | 32 | Raya O2 Brown | 59 |
| Blue Relaxation Stockings | 63 | Gamo | 32 | Raya O2 Grey | 59 |
| Boj | 25 | Glaciar Black | 34 | Raya S3 | 54 |
| Caimán | 61 | Granado | 29 | Reno | 34 |
| Carlota black | 52 | GTX® 10 K | 54 | Ricino | 30 |
| Carlota Ind Black | 20 | GTX® Atapuerca | 57 | Roble | 18 |
| Carlota Ind White | 37 | GTX® Cambridge | 56 | Roble vlco | 18 |
| Carlota white perforated | 52 | GTX® Campaña | 57 | Sandalo | 31 |
| Carmen black | 51 | GTX® Horus 3.0 | 58 | Sandalo ESD | 47 |
| Carmen Ind Black | 21 | GTX® Horus 6.0 | 58 | Sandra | 37 |
| Carmen Ind White | 37 | GTX® Stand | 61 | Sandra ESD | 46 |
| Carmen Ind White ESD | 46 | GTX® Tenca dielectric | 43 | Sauce | 27 |
| Carmen white perforated | 50 | Genova X Max Insole | 69 | Sauce ESD | 48 |
| Carpe | 27 | Harvard | 55 | Serval | 60 |
| Carpe ESD | 45 | Harvard Black | 60 | Short Thermolite® | |
| Castaño | 20 | Harvard Brown | 60 | Socks extreme cold | 62 |
| Castaño Metaergonomic | 39 | Haya | 19 | Stand | 50 |
| Castaño vlco | 20 | Helmet | 40 | Teide S3 | 56 |
| Castaño vlco White | 36 | Herrera | 57 | Tejo | 19 |
| Castor | 60 | Hexagon Blue | 17 | Tiburón | 55 |
| Cedro | 26 | Hexagon Lime | 17 | Tiburón O2 | 59 |
| Cedro ESD | 44 | Hexagon Orange | 17 | Welder | 33 |
| Cerezo | 35 | High Thermolite® | | White Coolmax Sport Socks | 64 |
| Chopo Pull | 30 | Water repellent footwear | 70 | White Overshoes Easy Grip | 66 |
| Cipres | 26 | Socks extreme cold | 62 | Work Socks | 63 |
| Cipres ESD | 44 | Iceberg | 35 | | |

NEW MODELS 2021 COLLECTION



Exergy Green

| | |
|--|----------------------------------|
| 92439 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15UK |
| 92444 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 77 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Technical fabric mesh |
| Toecap | Non-metallic 200 J |



Exergy Black

| | |
|--|----------------------------------|
| 92440 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15UK |
| 92445 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 77 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Technical fabric mesh |
| Toecap | Non-metallic 200 J |



Exergy Grey

| | |
|--|----------------------------------|
| 92441 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15UK |
| 92446 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 77 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Technical fabric mesh |
| Toecap | Non-metallic 200 J |



Exergy Red

| | |
|--|----------------------------------|
| 92442 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15UK |
| 92447 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 77 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Technical fabric mesh |
| Toecap | Non-metallic 200 J |



Exergy Blue

| | |
|--|----------------------------------|
| 92443 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15UK |
| 92448 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 77 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Technical fabric mesh |
| Toecap | Non-metallic 200 J |



Ada CM S1

| | |
|-------------------------------------|---|
| 92499 S1+CI+SRC NON METAL | 35-50 EU • 2-15UK Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |



Jara CM S1

| | |
|-------------------------------------|---|
| 92450 S1+CI+SRC NON METAL | 35-50 EU • 2-15UK Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

FOR ATHLETES OF THE WORKPLACE

2019/20 COLLECTION

These models have a design inspired by sports shoes, with PU soles.

The non-metallic toecaps provide 200 J of resistance and have 1100 N anti-perforation insoles.

The result is safety footwear that's highly versatile and perfect for professionals from diverse industries.

Main characteristics:

- Models without seams
- High breathability
- Extremely flexible
- Ultra light weight
- Maximum comfort

Collection

For athletes of the workplace



M.F.P. 1500

| | |
|--------------------------------------|--|
| 92306 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92307 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Textile mesh with PU support Water-resistant and breathable |
| Toecap | Non-metallic 200 J |

Collection

For athletes of the workplace



100 MTS

| | |
|--------------------------------------|--|
| 92305 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK |
| | Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Textile mesh with PU support Water-resistant and breathable |
| Toecap | Non-metallic 200 J |

Collection

For athletes of the workplace



Hexagon blue

| | |
|------------------------------|--|
| 92542 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Technical fabric |
| Toecap | Non-metallic 200 J |

Collection

For athletes of the workplace



Hexagon orange

| | |
|--------------------------------------|--|
| 92544 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Technical fabric |
| Toecap | Non-metallic 200 J |

Collection

For athletes of the workplace



Hexagon Lime

| | |
|------------------------------|--|
| 92543 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Technical fabric |
| Toecap | Non-metallic 200 J |



EVOLUTION

2019/20 COLLECTION

Designed to withstand hard work, this collection has models with steel or aluminium toecaps and anti-perforation insoles of steel or textile.

Boots with polyurethane and Nitrile Rubber rubber soles are contact heat and hydrocarbon resistant to withstand the most extreme conditions.

PU-2D SOLE COLLECTION (200J TOECAP AND/OR STEEL ANTI-PERFORATION INSOLE)

Collection - Type

Evolution - PU2D



Roble

| | |
|--------------------------------|-----------------------------------|
| 92001 S2+CI+SRC STEEL | 35-50 EU • 2-15 UK |
| 92002 S3+CI+SRC STEEL STEEL | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Roble vlco

| | |
|-----------------------------------|-----------------------------------|
| 92003 S2+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK |
| 92004 S3+CI+HI+SRC STEEL STEEL | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Arce

| | |
|-------------------------------------|---|
| 92005 S1+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 120 mm (± 5%) |
| 92006 S1+P+CI+HI+SRC STEEL STEEL | |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Tejo

| | |
|--------------------------------|---|
| 92007 S2+CI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 130 mm (± 5%) |
| 92008 S3+CI+SRC STEEL STEEL | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Fresno

| | |
|--------------------------------|---|
| 92013 S2+CI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 122 mm (± 5%) |
| 92014 S3+CI+SRC STEEL STEEL | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Haya

| | |
|--------------------------------|---|
| 92009 S2+CI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 140 mm (± 5%) |
| 92010 S3+CI+SRC STEEL STEEL | |
| 92011 O2+CI+SRC | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Acebo

| | |
|----------------------------------|--|
| 92017 S1+CI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 90 mm (± 5%) |
| 92018 S1+P+CI+SRC STEEL STEEL | |
| 92019 O1+CI+SRC | |
| 92020 O1+P+CI+SRC STEEL | |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Palmera N

| | |
|----------------------------------|---|
| 92015 S1+CI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 130 mm (± 5%) |
| 92016 S1+P+CI+SRC STEEL STEEL | |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Castaño

| | |
|-----------------------------------|--|
| 92021 S2+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 70 mm (± 5%) |
| 92022 S3+CI+HI+SRC STEEL STEEL | |
| 92023 O2+CI+SRC | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Castaño vico

| | |
|-----------------------------------|--|
| 92025 S2+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 70 mm (± 5%) |
| 92026 S3+CI+HI+SRC STEEL STEEL | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Olmo

| | |
|-------------------------------------|----------------------------------|
| 92027 S1+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK |
| 92028 S1+P+CI+HI+SRC STEEL STEEL | Interior height: 90 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - PU2D



Acacia

| | |
|-------------------------------------|----------------------------------|
| 92029 S1+CI+HI+SRC STEEL | 35-50 EU • 2-15 UK |
| 92030 S1+P+CI+HI+SRC STEEL STEEL | Interior height: 70 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

UNISEX PU - 2D SOLE (ALUMINIUM TOECAP AND/OR TEXTILE ANTI-PERFORATION INSOLE)

Collection - Type

Evolution - UNISEX



Carmen Ind Black

| | |
|--------------------------------------|----------------------------------|
| 90701 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK |
| 90702 S3+CI+SRC ALUMINIUM TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

Collection - Type

Evolution - UNISEX



María Ind Black

| | |
|--------------------------------------|----------------------------------|
| 90739 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK |
| 90740 S3+CI+SRC ALUMINIUM TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

Collection - Type

Evolution - UNISEX



Carlota Ind Black

| | |
|--------------------------------------|--|
| 90719 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| 90720 S3+CI+SRC ALUMINIUM TEXTILE | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

HRO PU SOLE CONTACT HEAT + Nitrile Rubber (STEEL TOECAP AND/OR STEEL INSOLE)

Collection - Type

Evolution - HRO



Alamo

| | |
|---|--|
| 92043 S1+CI+HI+HRO+SRC STEEL | 35-50 EU • 2-15 UK Interior height: 90 mm (± 5%) |
| 92044 S1+P+CI+HI+HRO+SRC STEEL STEEL | |
| Sole | PU + Nitrile Rubber |
| Upper | Split Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO



Mirto

| | |
|--|---|
| 92255 S1+P+CI+HI+HRO+SRC STEEL STEEL | 35-50 EU • 2-15 UK Interior height: 120 mm (± 5%) |
| Sole | |
| Upper | Split Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO



Abeto

| | |
|---------------------------------------|-----------------------------------|
| 92037 S2+CI+HI+HRO+SRC STEEL | 35-50 EU • 2-15 UK |
| 92038 S3+CI+HI+HRO+SRC STEEL STEEL | Interior height: 140 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO



Formio

| | |
|---------------------------------------|-----------------------------------|
| 92039 S2+CI+HI+HRO+SRC STEEL | 35-50 EU • 2-15 UK |
| 92040 S3+CI+HI+HRO+SRC STEEL STEEL | Interior height: 122 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO



Olivo

| | |
|---------------------------------------|----------------------------------|
| 92041 S2+CI+HI+HRO+SRC STEEL | 35-50 EU • 2-15 UK |
| 92042 S3+CI+HI+HRO+SRC STEEL STEEL | Interior height: 70 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO



Pino

| | |
|---------------------------------------|-----------------------------------|
| 92033 S2+CI+HI+HRO+SRC STEEL | 35-50 EU • 2-15 UK |
| 92034 S3+CI+HI+HRO+SRC STEEL STEEL | Interior height: 120 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Evolution - HRO

WITHOUT TOE CAP



Maya

| | |
|---------------------------|---|
| 90016 O2+CI+HI+HRO+SRC | 35-50 EU • 2-15 UK Interior height: 155 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Split Nubuck |
| Toecap | Without protection |

BIOMECHANIC

2019/20 COLLECTION

These models are the outcome of a study based on principles of biomechanics applied to professional footwear.

These are innovative developments that combine engineering and foot anatomy to increase comfort.

Their non-slip soles and non-metallic toecaps reduce weight by 30%.

DUATLON - PU 2D SOLE (NON METALLIC TOECAP AND/OR TEXTILE INSOLE)

Collection - Type

Biomecanic - Duatlón



Acebo CM

| | |
|-------------------------------------|----------------------------------|
| 92053 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92054 S1+P+SRC NON METAL TEXTILE | Interior height: 85 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Boj

| | |
|-------------------------------------|-----------------------------------|
| 92057 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92058 S1+P+SRC NON METAL TEXTILE | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Cipres

| | |
|---|----------------------------------|
| 92045 S1+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92046 S1+P+CI+HI+SRC NON METAL TEXTILE | Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Cedro

| | |
|--------------------------------------|----------------------------------|
| 92049 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92050 S3+CI+SRC NON METAL TEXTILE | Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Acebo CM Black

| | |
|--|----------------------------------|
| 92224 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92225 S1+P+CI+SRC NON METAL TEXTILE | Interior height: 85 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Acebo Fresh

| | |
|--------------------------------------|----------------------------------|
| 92059 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92060 S3+CI+SRC NON METAL TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Enebro

| | |
|--------------------------------------|--|
| 92063 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 75 mm (± 5%) |
| 92064 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Carpe

| | |
|--------------------------------------|---|
| 92067 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 130 mm (± 5%) |
| 92068 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

BIOMECHANIC

Collection - Type

Biomecanic - Duatlón



Acebo Fresh Elastic

| | |
|--------------------------------------|--|
| 92374 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 75 mm (± 5%) |
| 92286 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Sauce

| | |
|--------------------------------------|---|
| 92071 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 130 mm (± 5%) |
| 92072 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Enebro vlco

| | |
|--------------------------------------|----------------------------------|
| 92075 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92076 S3+CI+SRC NON METAL TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Duatlón



Ebano vlco

| | |
|--------------------------------------|-----------------------------------|
| 92077 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92078 S3+CI+SRC NON METAL TEXTILE | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

TRIATLON - PU 2D SOLE (NON METALLIC TOECAP AND/OR TEXTILE INSOLE) SPORT DESIGN

Collection - Type

Biomecanic - Triatlón



Inca

| | |
|--------------------------------------|----------------------------------|
| 92079 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92080 S3+CI+SRC NON METAL TEXTILE | Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Endrino

| | |
|--------------------------------------|-----------------------------------|
| 92082 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK |
| | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Ficus N

| | |
|--------------------------------------|--|
| 92314 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| 92315 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Full Grain Cowhide Reflective textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Laurel Black N

| | |
|--------------------------------------|---|
| 92317 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide Reflective textile mesh |
| Toecap | Non-metallic 200 J |

BIOMECHANIC

Collection - Type

Biomecanic - Triatlón



Granado

| | |
|--------------------------------------|--|
| 92087 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| 92088 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Mimbre

| | |
|--------------------------------------|---|
| 92090 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Crespón

| | |
|--------------------------------------|---|
| 92228 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 160 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Ricino

| | |
|--------------------------------------|---|
| 92094 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 137 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Enebro Pull

| | |
|--------------------------------------|--|
| 92318 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| 92319 S3+CI+SRC NON METAL TEXTILE | |
| Sole | PU / PU |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



Chopo Pull

| | |
|--------------------------------------|---|
| 92321 S3+CI+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 140 mm (± 5%) |
| Sole | PU / PU |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Triatlón



BIOMECHANIC

Sandalo

| | |
|--|----------------------------------|
| 92095 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92096 S1+P+CI+SRC NON METAL TEXTILE | Interior height: 60 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck |
| Toecap | Non-metallic 200 J |

HEPTALON - PU + Nitrile Rubber RUBBER SOLE (NON METALLIC TOECAP AND/OR TEXTILE INSOLE)

Collection - Type

Biomecanic - Heptatlón



Driver

| | |
|--|--|
| 92100 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 85 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Marfil

| | |
|--|---|
| 92102 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 138 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Cándor

| | |
|--|--|
| 92108 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Gamo

| | |
|--|---|
| 92110 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 165 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Aster

| | |
|--|---|
| 92112 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 275 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Fusión

| | |
|--|---|
| 92118 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 185 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Biomecanic - Heptatlón



Welder

| | |
|--|---|
| 92116 S3+CI+HI+HRO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 120 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

FOOD SERVICE

2019/20 COLLECTION

These are light weight models with PU-2D anti-slip and anti-static soles.

They have a large contact surface with pad type inserts and drainage channels for dirt and grease.

The collection includes options designed for working in the extreme cold (up to -40°C).

All models have a non-metallic toecap. The unisex models have an aluminium toecap.

Collection - Type

Food Service - Extreme cold



Thinsulate
INSULATION

SIDE ZIPPER



Reno

| | |
|---|-----------------------------------|
| 92137 S2+CI+HI+HRO+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92138 S3+CI+HI+HRO+SRC NON METAL TEXTILE | Interior height: 195 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Extreme cold



Thinsulate
INSULATION



Glaciar Black

| | |
|--|-----------------------------------|
| 92141 S2+CI+HI+HRO+SRC NON METAL | 35-48 EU • 2-13 UK |
| | Interior height: 260 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Extreme cold



Iceberg

| | |
|--|---|
| 92139 S2+CI+HI+HRO+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 275 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Cerezo

| | |
|---------------------------------|---|
| 92146 S2+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

FOOD SERVICE

Collection - Type

Food Service - Technical



Albur Integral

| | |
|---|---|
| 92242 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 138 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Perca

| | |
|---------------------------------|---|
| 92143 S2+CI+WR+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 138 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Nogal

| | |
|---------------------------------|--|
| 92150 S2+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 73 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Castaño vlc0 White

| | |
|---------------------------------|--|
| 92154 S2+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Aliso

| | |
|------------------------------|---|
| 90112 S2+CI+SRC NON METAL | 35-46 EU • 2-11 UK Interior height: 70 mm (± 5%) |
| Sole | PU / PU |
| Upper | Microfibre. Very easy to clean, high strength and breathability |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Kira

| | |
|------------------------------|---|
| 90106 S2+CI+SRC NON METAL | 35-46 EU • 2-11 UK Interior height: 110 mm (± 5%) |
| Sole | PU / PU |
| Upper | Microfibre. Very easy to clean, high strength and breathability |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Sandra

| | |
|---------------------------------|--|
| 92156 S1+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Food Service - Technical



Adelfa

| | |
|---------------------------------|--|
| 92160 S1+CI+HI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

FOOD SERVICE

Collection - Type

Food Service - Unisex



Carmen Ind White

| | |
|------------------------------|--|
| 90072 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

Collection - Type

Food Service - Unisex



Carlota Ind White

| | |
|------------------------------|--|
| 90075 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

Collection - Type

Food Service - Unisex



María Ind White

| | |
|------------------------------|--|
| 90122 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

SPECIAL RISKS

2019/20 COLLECTION

- Mod. **Metaprotector** (Robusta patent)
- EN ISO 20345 protection
 - Comfort - articulated and flexible system
 - Ergonomic - adapts to the instep

- Mod. **Foundry and welding** EN ISO 20349
- Thermal risks
 - Splashing molten metal

- Mod. **Cut resistant**
- Level 5 cut resistance

- Mod. **3-60** (Cut resistant, fire proof, resistant to high temperatures)

MOD. METAPROTECTOR

Collection - Type

Special risks - Meta protector



Castaño Metaergonomic

| | |
|----------------------------------|----------------------------------|
| 92172 S2+CI+M+SRC STEEL | 35-50 EU • 2-15 UK |
| 92173 S3+CI+M+SRC STEEL STEEL | Interior height: 70 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Special risks - Meta protector



Metaergonomic

| | |
|----------------------------------|-----------------------------------|
| 92170 S2+CI+M+SRC STEEL | 35-50 EU • 2-15 UK |
| 92171 S3+CI+M+SRC STEEL STEEL | Interior height: 120 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | 200 J Steel |

Collection - Type

Special risks - Meta protector



Marfil Metaergonomic

| | |
|--|-----------------------------------|
| 92174 S2+CI+HI+HRO+M+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92175 S3+CI+HI+HRO+M+SRC NON METAL TEXTILE | Interior height: 138 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

MOD. FOUNDRY AND WELDING EN ISO 20349

Collection - Type

Special risks - Foundry and welding



Fuego

| | |
|---|-----------------------------------|
| 90058 SB+P+FO+E+WRU+CI+ HI ₁ + HRO+WG+AL+FE+M STEEL TEXTILE | 36-50 EU • 3-15 UK |
| | Interior height: 190 mm (± 5%) |
| Sole | PU + ADE Nitrile Rubber System® |
| Upper | Fireproof full grain cowhide |
| Toecap | 200 J Steel |

Collection - Type

Special risks - Foundry and welding



Helmet

| | |
|---|-----------------------------------|
| 91168 SB+P+FO+E+WRU+CI+ HI ₁ + HRO+WG+AL+FE+M STEEL TEXTILE | 36-50 EU • 3-15 UK |
| | Interior height: 185 mm (± 5%) |
| Sole | PU + ADE Nitrile Rubber System® |
| Upper | Fireproof full grain cowhide |
| Toecap | 200 J Steel |

Collection - Type

Special risks - Foundry and welding



Escudo

| | | |
|--|---------------------------------|---|
| 90824 S3+CI+HRO+WG+HI ₁ STEEL TEXTILE | | 36-50 EU • 3-15 UK Interior height: 120 mm (± 5%) |
| Sole | PU + ADE Nitrile Rubber System® | |
| Upper | Fireproof full grain cowhide | |
| Toecap | 200 J Steel | |

Collection - Type

Special risks - Foundry and welding



Coraza

| | | |
|--|---------------------------------|---|
| 90822 S3+CI+HRO+WG+AL+ FE+HI ₁ STEEL TEXTILE | | 36-50 EU • 3-15 UK Interior height: 205 mm (± 5%) |
| Sole | PU + ADE Nitrile Rubber System® | |
| Upper | Fireproof full grain cowhide | |
| Toecap | 200 J Steel | |

SPECIAL RISKS

MOD. TOTAL ANTI-PERFORATION

Collection - Type

Special risks - Total anti-perforation



3.60

| | | |
|--|---------------------------------|---|
| 92169 S3+CI+HI ₁ +HRO+WG+CR NON METAL TEXTILE | | 36-50 EU • 3-15 UK Interior height: 165 mm (± 5%) |
| Sole | PU + ADE Nitrile Rubber System® | |
| Upper | Technical textile | |
| Toecap | Non-metallic 200 J | |



MOD. ANTI-CUT FOOTWEAR

In addition to the toe protection, these models offer cut resistance (CR) of up to 30 mm on the top of the foot, starting 10 mm from the end of the shoe and running all the way to the heel. ROBUSTA shoes have a resistance index rating of 5, in compliance with the UNE EN 388 standard.

| Nivel 1 | Nivel 2 | Nivel 3 | Nivel 4 | Nivel 5 |
|---------|---------|---------|---------|---------|
| >_1,2 | >_2,5 | >_5,0 | >_10,0 | >_20,0 |

Collection - Type

Special risks - Cut resistant



Pino CR

| | |
|---|---|
| 90779 S3+CI+HRO+HI+CR+SRC NON METAL STEEL | 36-46 EU • 3-11 UK Interior height: 120 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Special risks - Cut resistant



Formio CR

| | |
|--|---|
| 90783 S3+CI+HRO+CR+SRC NON METAL STEEL | 36-46 EU • 3-11 UK Interior height: 122 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Special risks - Dielectric



GTX® Tenca dielectrico

| | |
|--|---|
| 92184 SB+P+E+CI+HI+WRU+HRO +FO+SRC+WR NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 130 mm (± 5%) |
| Sole | PU + Dielectric Nitrile Rubber |
| Upper | Grain Cowhide |
| Toecap | Non-metallic 200 J |

DIELECTRIC

2019/20 COLLECTION

Special for electricians

These models are **resistant to electric shock** and provide greater protection and insulation than anti-static footwear (without meeting the requirements of the EN 50321 standard).

Specifically, when they are subjected to 14,000 and **18,000 volt** charges at a frequency of 60 Hz for one minute, the intensity of the current is less than 1 mA, in conformance with the **F2413-18 standards**. In any event, every electrical risk situation should be evaluated.

Collection - Type

Special risks - Dielectric



Enebro dielectric

| | |
|---|--|
| 92180 SB+P+E+CI+HI+WRU+ HRO+FO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 77 mm (± 5%) |
| Sole | PU + Dielectric Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Special risks - Dielectric



Formio dielectric

| | |
|---|---|
| 92181 SB+P+E+CI+HI+WRU+ HRO+FO+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 122 mm (± 5%) |
| Sole | PU + Dielectric Nitrile Rubber |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |



ESD

2019/20 COLLECTION

The design of these models takes into account the requirements of the **EN 61340** standard for manufacturing electronic products **that are sensitive to electrostatic discharges.**

Collection
ESD



Cipres ESD

| | |
|--|----------------------------------|
| 92047 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92048 S1+P+CI+SRC NON METAL TEXTILE | Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Cedro ESD

| | |
|--------------------------------------|----------------------------------|
| 92051 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92052 S3+CI+SRC NON METAL TEXTILE | Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Acebo CM ESD

| | |
|--|----------------------------------|
| 92055 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92056 S1+P+CI+SRC NON METAL TEXTILE | Interior height: 85 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Acebo Fresh ESD

| | |
|--------------------------------------|----------------------------------|
| 92061 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92062 S3+CI+SRC NON METAL TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck and textile mesh |
| Toecap | Non-metallic 200 J |

Collection
ESD



Enebro ESD

| | |
|--------------------------------------|----------------------------------|
| 92065 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92066 S3+CI+SRC NON METAL TEXTILE | Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Carpe ESD

| | |
|--------------------------------------|-----------------------------------|
| 92069 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92070 S3+CI+SRC NON METAL TEXTILE | Interior height: 130 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Nogal ESD

| | |
|------------------------------|--|
| 92152 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 73 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Carmen Ind White ESD

| | |
|------------------------------|--|
| 90142 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Aluminium 200 J |

Collection
ESD



Adelfa ESD

| | |
|------------------------------|--|
| 92162 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Sandra ESD

| | |
|------------------------------|--|
| 92158 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK Interior height: 78 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Sandalo ESD

| | |
|--|----------------------------------|
| 92097 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92098 S1+P+CI+SRC NON METAL TEXTILE | Interior height: 60 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Nubuck |
| Toecap | Non-metallic 200 J |

Collection
ESD



Alerce Fluorescent ESD

| | |
|------------------------------|----------------------------------|
| 92401 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| | Interior height: 90 mm (± 5%) |
| Sole | PU / PU |
| Upper | Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Alerce Orange ESD

| | |
|------------------------------|----------------------------------|
| 92400 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| | Interior height: 90 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Split Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Alerce Blue ESD

| | |
|------------------------------|----------------------------------|
| 92399 S1+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| | Interior height: 90 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection
ESD



Sauce ESD

| | |
|--------------------------------------|-----------------------------------|
| 92073 S2+CI+SRC NON METAL | 35-48 EU • 2-13 UK |
| 92074 S3+CI+SRC NON METAL TEXTILE | Interior height: 130 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

UNIFORMITY

2019/20 COLLECTION

These models are designed for uniformed personnel involved in a range of work responsibilities (administrative, wait staff, security guards, etc.). These models are made of top quality Upper.

Standard EN ISO 20347 (without toecap).
Standard EN ISO 20345 (with toecap).

WITH PROTECTION (S2) EN ISO 20345

Collection
Uniformity



Manager

| | |
|------------------------------|--|
| 90963 S2+CI+SRC ALUMINIUM | 34-48 EU • 1-13 UK Interior height: 70 mm (± 5%) |
| Sole | PU+TPU |
| Upper | Full Grain Cowhide |

Collection
Uniformity



Directivo

| | |
|-------------------|--|
| 90961 SB STEEL | 35-48 EU • 2-13 UK Interior height: 65 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |

WITHOUT PROTECTION EN ISO 20347

Collection

Uniformity



Balance

| | |
|-------------|--|
| 90605 O2+CI | 39-46 EU • 6-11 UK Interior height: 80 mm (± 5%) |
| Sole | Mono-density PU |
| Upper | Full Grain Cowhide |

Collection

Uniformity



Michael

| | |
|-------------|--|
| 90267 O2+CI | 39-46 EU • 6-11 UK Interior height: 70 mm (± 5%) |
| Sole | Mono-density PU |
| Upper | Full Grain Cowhide |

Collection

Uniformity



Stand

| | |
|--------------------|--|
| 90568 O2+CI+HI+HRO | 35-48 EU • 2-13 UK Interior height: 65 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |



ANATOMICAL

2019/20 COLLECTION

This collection is designed specifically to meet the aesthetic and comfort needs of health care professionals. These models are made of soft **breathable** Upper and they're **100% washable** (12 washing machine cycles at 30-35°, fast

drying). The PU/TPU soles provide maximum traction, flexibility and lightness.

Collection

Anatomical



Carmen white perforated

| | |
|-----------------------|--|
| 90197 O1+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |

Collection

Anatomical



Carmen black

| | |
|-----------------------|--|
| 90200 O2+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |

Collection

Anatomical



María white perforated

| | |
|-----------------------|--|
| 90206 O1+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |

Collection

Anatomical



María black

| | |
|-----------------------|--|
| 90209 O2+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |

Collection

Anatomical



Carlota white perforated

| | |
|-----------------------|--|
| 90223 O1+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |

Collection

Anatomical



Carlota black

| | |
|-----------------------|--|
| 90224 O2+FO+CI+SRC | 34-48 EU • 1-13 UK Interior height: 75 mm (± 5%) |
| Sole | PU + TPU Light, Anti-static, Anti-slip |
| Upper | Full Grain Cowhide |



+





GORE-TEX®

2019/20 COLLECTION

All our models made of GORE-TEX® GORE-TEX® are composed of the 4-layer waterproof membrane. The best waterproof material that

at the same time it helps keep your feet dry and warm while evacuating all the sweat.

WITH PROTECTION (S3) EN ISO 20345

Collection - Type

Gore-Tex® - With protection



GTX® 10 K

| | |
|---|---|
| 92329 S3+CI+SRC+WR NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Textile mesh with PU support Water- resistant and breathable |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Raya S3

| | |
|---|--|
| 92204 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Delfín

| | |
|---|--|
| 92202 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Tiburón

| | |
|---|---|
| 92201 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 145 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Harvard

| | |
|---|---|
| 92196 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 140 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Arpón

| | |
|---|---|
| 92192 S3+CI+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 170 mm (± 5%) |
| Sole | PU / PU |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Dascilus

| | |
|---|-----------------------------------|
| 90276 S2+CI+HI+HRO+WR+SRC STEEL | 35-50 EU • 2-15 UK |
| 90279 S3+CI+HI+HRO+WR+SRC STEEL STEEL | Interior height: 145 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |
| Toecap | 200 J Steel |

Collection - Type

Gore-Tex® - With protection



Teide S3

| | |
|---|-----------------------------------|
| 90622 S3+CI+HI+HRO+WR+SRC NON METAL TEXTILE | 35-46 EU • 2-11 UK |
| Sole | Interior height: 145 mm (± 5%) |
| Upper | PU + Vibram® Nitrile Rubber |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



GTX® Cambridge

| | |
|---|----------------------------------|
| 92208 S3+CI+HI+HRO+WR+SRC ALUMINIUM TEXTILE | 36-47 EU • 3-12 UK |
| Sole | Interior height: 80 mm (± 5%) |
| Upper | PU + Nitrile Rubber |
| Toecap | Nubuck |
| | Aluminium 200 J |

Collection - Type

Gore-Tex® - With protection



Barbo

| | |
|--|-----------------------------------|
| 90302 S2+CI+HRO+WR+SRC STEEL | 35-50 EU • 2-15 UK |
| 90306 S3+CI+HRO+WR+SRC STEEL STEEL | Interior height: 137 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |
| Toecap | 200 J Steel |

Collection - Type

Gore-Tex® - With protection



Peto

| | |
|--|--|
| 92206 S3+CI+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



Herrera

| | |
|--|---|
| 92200 S3+CI+WR+SRC NON METAL TEXTILE | 35-48 EU • 2-13 UK Interior height: 137 mm (± 5%) |
| Sole | PU / PU |
| Upper | Full Grain Cowhide |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



GTX® Campaña

| | |
|---|---|
| 92188 S3+CI+HI+HRO+WR NON METAL TEXTILE | 36-48 EU • 3-13 UK Interior height: 180 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



GTX® Atapuerca

| | |
|---|---|
| 92190 S3+CI+HI+HRO+WR NON METAL TEXTILE | 36-48 EU • 3-13 UK Interior height: 140 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



GTX Horus S3 3.0

| | |
|---|--|
| 92557 S3+CI+HI+HRO+WR+SRA NON METAL TEXTILE | 35-47 EU • 2-12 UK Interior height: 85 mm (± 5%) |
| Sole | EVA + Vibram® Nitrile Rubber |
| Upper | Technical fabric |
| Toecap | Non-metallic 200 J |

Collection - Type

Gore-Tex® - With protection



GTX Horus S3 6.0

| | |
|--|--|
| 92558 S3+CI+HI+HRO+WR+S- RA NON METAL TEXTILE | 35-47 EU • 2-12 UK Interior height: 85 mm (± 5%) |
| Sole | EVA + Vibram® Nitrile Rubber |
| Upper | Technical fabric |
| Toecap | Non-metallic 200 J |

GTX HORUS S3

Membrana Gore-Tex®



Suela Vibram®

Collection - Type

Gore-Tex® - Without protection



Delfin O2

| | |
|------------------------------|--|
| 92330 O2+CI+HI+HRO+WR+SRC | 36-48 EU • 3-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |

Collection - Type

Gore-Tex® - Without protection



Tiburón O2

| | |
|------------------------------|---|
| 92331 O2+CI+HI+HRO+WR+SRC | 36-48 EU • 3-13 UK Interior height: 145 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Split Nubuck and high strength textile mesh |

Collection - Type

Gore-Tex® - Without protection



Raya O2 Grey

| | |
|------------------------------|--|
| 92212 O2+CI+HI+HRO+WR+SRC | 36-48 EU • 3-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Raya O2 Brown

| | |
|------------------------------|--|
| 92411 O2+CI+HI+HRO+WR+SRC | 36-48 EU • 3-13 UK Interior height: 80 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Serval

| | |
|--------------------------|---|
| 90336 O2+CI+HI+HRO+WR | 35-49 EU • 2-14 UK Interior height: 150 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Castor

| | |
|------------------------------|---|
| 90338 O2+CI+HI+HRO+WR+SRC | 35-47 EU • 2-12 UK Interior height: 165 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Harvard Brown

| | |
|--------------------------|---|
| 92210 O2+CI+HI+HRO+WR | 36-48 EU • 3-13 UK Interior height: 161 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Harvard Black

| | |
|--------------------------|---|
| 92209 O2+CI+HI+HRO+WR | 36-48 EU • 3-13 UK Interior height: 161 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Caimán

| | |
|--------------------------|---|
| 90346 O2+CI+HI+HRO+WR | 36-48 EU • 3-13 UK Interior height: 140 mm (± 5%) |
| Sole | PU + Vibram® Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



Foxino

| | |
|--------------------------|---|
| 90343 O2+CI+HI+HRO+WR | 36-49 EU • 3-14 UK Interior height: 140 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Nubuck |

Collection - Type

Gore-Tex® - Without protection



GTX® Stand

| | |
|--------------------------|--|
| 90484 O2+CI+HI+HRO+WR | 35-48 EU • 2-13 UK Interior height: 65 mm (± 5%) |
| Sole | PU + Nitrile Rubber |
| Upper | Full Grain Cowhide |



ACCESSORIES

2019/20 COLLECTION

This is a collection of socks, insoles and other accessories that increase safety and comfort, prevent fatigue and improve breathability. The innovative AYR Preventiva insole is 100%

breathable and has pieces of gel and low density PU that absorb impacts.

SOCKS

Collection
Accessories



High Thermolite®
Socks extreme cold

80001 Grey - Green

S (2-5)
M (6-8)
L (9-12)

Collection
Accessories



Short Thermolite®
Socks extreme cold

80002 Black

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Coolmax Industry Socks

80003 Blue

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Work Socks

80004 Blue

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Coolmax Motorcycler Socks

80008 Black

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Coolmax Winter Boot Socks

80009 Black

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



**Coolmax Winter
Shoe Socks**

80010 Black

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Coolmax Sport Socks

80011 White

S (2-5)
M (6-8)
L (9-12)

Collection

Accessories



Coolmax Sport Socks

80012 Black

S (2-5)
M (6-8)
L (9-12)





Zona elástica
Elastic zone

Zona de adaptabilidad
Adaptability zone

Área de refuerzo
Reinforcement area

VISITOR TOECAPS

Collection
Accessories



Easy Grip Overshoes

80059 Black

S (1-4)
M (5-7)
L (8-10)
XL (11-13)

Collection
Accessories



Easy Grip Overshoes

80060 White

S (1-4)
M (5-7)
L (8-10)
XL (11-13)

Collection
Accessories



Total Protec Overshoes

80058

S (1-4)
M (5-7)
L (8-10)
XL (11-13)

Collection
Accessories



Total Protec Plus Overshoes

80057

S (1-4)
M (5-7)
L (8-10)
XL (11-13)

Collection
Accessories



Visitor Overshoes

80055

S (1-5)
M (6-9)
XL (10-13)

Collection
Accessories



Visitors Integral Overshoes

80061

S (1-5)
M (6-9)
XL (10-13)



ROBUSTA
STEP FORWARD

INSOLES

Collection


Accessories

Ayr Preventia® Insole

80046 High

80049 Low

34-48 EU • 1-13 UK



The insole has 3 areas that are part of the 3 phases involved in walking.

- | | | |
|----------------|--------------|-----------------|
| 1 | 2 | 3 |
| IMPACT ZONE | SUPPORT ZONE | METATARSAL ZONE |
| A | B | C |
| PRONATION AREA | NEUTRAL AREA | SUPINATION AREA |

Collection

Accessories



**Ayr Integral High Insole
Individual pack**

80841 Black

35-50 EU • 2-15 UK

Collection

Accessories



**Ayr Integral Low Insole
Individual pack**

80842 Blue

34-48 EU • 1-13 UK

Collection

Accessories



**Genova X Max insole
Individual pack**

80843 Black

34-48 EU • 1-13 UK

Collection

Accessories



**Industry insole
5 pairs pack**

80844 Black

35-50 EU • 2-15 UK

Collection

Accessories

Laces

| | |
|--------------------------------------|---------------|
| 80823 Black/Yellow Lace 120 cm | 30 pairs pack |
| 80822 Black/Blue Lace 120 cm | 30 pairs pack |
| 80821 Black/Orange Lace 120 cm | 30 pairs pack |
| 80820 Black Lace 100 cm | 30 pairs pack |
| 80819 Black Fireproof Lace 180 cm | 30 pairs pack |
| 80818 Black Waterproofed Lace 150 cm | 30 pairs pack |



Water repellent footwear

| | |
|----------------------------|------------------|
| 80896 Pack 12 units | 125 ml each unit |
|----------------------------|------------------|

Nanotechnological protection against moisture and stains.
 Water repellent, breathable, colorless, water-based, re-applicable.
 Suitable with Gore-Tex® footwear.





ROBUSTA
STEP FORWARD

**NON-STOP
COLLECTION**

See
our models
permanently
stocked

72h

DELIVERY
ROBUSTA COMMITMENT



To be loaded within the next 72 hours
from the order confirmation.



ROBUSTA

STEP FORWARD

www.robusta.es

Calzados Robusta S.L.
Ctra. de Préjano, 72
26580 Arnedo (La Rioja) España
T +34 941 38 54 11
robusta@robusta.es