

Description

arms, triple stitching.

It is classified as PPE Cat.II.

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

## Name: MC5627Q4 Light Carboflame Coverall

Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 (R.A.) Fax +39 02.90394441

VAT Nr. IT 03359340548

## **TECHNICAL SHEET**

export@sirsafety.com www.sirsafety.com

COMPANY WITH QUALITY SYSTEM CERTIFIED

## Code: 35282B MC56 CARBOFLAME CLOTHING Coverall with shirt collar in 99% cotton, 1% carbon fibre, 230 g/m<sup>2</sup>. twoway central zipper closure with flap and Velcro, chest pockets with zipper and flaps with Velcro, loop for gas detector above right pocket; pocket on left sleeve with flap and Velcro, frontal slanted pockets with flaps and Velcro, hidden exterior-to-interior access, elastic waistband. Two back pockets with flaps and Velcro, knee pad pockets with Velcro closure; ruler pocket with flap and Velcro, reflective band on the shoulders, legs and - The Light Carboflame Coverall guarantees a high level of protection while maintaining lightness and breathability of the fabric. - It is suitable for welding processes. - Ensures great comfort, thanks to the percentage of cotton used. - Night safety due to the reflective bands. In combination with the coverall, is it possible to wear our under garments: Carboflame undershirt art. MC5610 and Carboflame underpants art. MC5620, meeting the point A.2 of IEC 61482-2 which is stating that the electric arc protective clothing shall be used with under garments made of materials that would not melt with the arc. The product is designed and manufactured according to the Regulation (EU) 2016/425 and subsequent amendments.

Category Available Sizes Colours Ш Blue XS-3XL Quantity/Carton Important Information Recommended for Keep in a cool dry place, far from heat sources Petrochemical Industry, Oil & Gas Industries, Mining and direct light. Industry. Make sure the garment is in good condition, 15 undamaged and clean before use. Once you become aware of a damage, you should immediately replace it. EC Standards Dexterity Storage and cleaning EN 1149-5 We recommend to follow the washing instructions. EN ISO 11611 Class:1 Values:A1 EN ISO 11612 Limited Flame Spread:A1 Convective Heat:B1 Radiant Heat:C1